



CPC

I hereby certify that this correspondence is being deposited with the
U.S. Postal Service as first class mail in an envelope addressed to:
Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on:

July 14, 2008
(Date of Deposit)

PATENT
52469/G517

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No. : 7,328,058
Issued : February 5, 2008
Inventor(s) : Iwanczyk, Jan W.
Application No. : 09/754,103
Filed : January 3, 2001
Title : INTRAVASCULAR IMAGING DETECTOR

Confirmation No. 4118

REQUEST FOR CERTIFICATE OF CORRECTION

Office of Certificates of Correction
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

P. O. Box 7068
Pasadena, CA 91109-7068
July 14, 2008

Commissioner:

Submitted herewith are two copies of a proposed Certificate of Correction for the above-referenced patent. The errors are identified in detail in the proposed certificate, and the corresponding text in the application is located as follows:

Location in Patent

Location in Application

PTO errors:

Applicant errors:

On the Title Page

(57) ABSTRACT, line 2

Abstract as originally filed, line 2

In the Claims

Column 10, line 5, Claim 10

Amendment filed October 7, 2005, pg. 4, Old
Claim 24, line 6

Column 10, line 18, Claim 12

Amendment filed October 7, 2005, pg. 4, Old
Claim 26, line 2

Column 10, line 40, Claim 15

Amendment filed October 7, 2005, pg. 5, Old
Claim 29, line 6

07/17/2008 RNEBRAH1 00000049 7328058

01 FC:1811

100.00 OP

RECEIVED-USPTO
Patent Publication

JUL 18 2008

Certificate
JUL 18 2008
of Correction

U.S. Patent No. 7,328,058

Column 10, line 45, Claim 16

Amendment filed October 7, 2005, pg. 6, Old
Claim 30, line 2


Applicant(s) errors were unintentional and inadvertent, and were made in good faith through oversight. Correction is accordingly requested under 35 U.S.C. § 255, and our check for the \$100 statutory fee is enclosed. Any deficiency or overpayment should be charged or credited to Deposit Account No. 03-1728. Please show our docket number with any credit or charge to our Deposit Account.

Correction of applicant(s) errors does not constitute new matter or require reexamination. Approval of this certificate is respectfully requested

Respectfully submitted,

CHRISTIE, PARKER & HALE, LLP

By



Jun-Young E. Jeon

Reg. No. 43,693

626/795-9900

JEJ/rjf

Enclosures: Certificate of Correction (2)
Check \$100

RJF PAS802995.1-*07/9/08 3:10 PM

RECEIVED-USPTO
Patent Publication

JUL 18 2008

Page 1 of 1

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

[illegible]

Column 10, line 5, Claim 10	Delete "are", Insert --is--
Column 10, line 18, Claim 12	Delete "an", Insert --a--
Column 10, line 40, Claim 15	Delete "an", Insert --a--
Column 10, line 45, Claim 16	Delete "are", Insert --is--

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

JUL 18 2008

JUL 18 2008